

# SAFE HOME CITY OF CHARLOTTE NEIGHBORHOOD & BUSINESS SERVICES

Invitation to Bid HNS 21-5

NOTE: Contractors are not authorized to visit the property before or after the bid walk, without being accompanied by the City's Rehabilitation Specialist.

#### **Documents included in Package:**

- 1) Instruction to Bidders
- 2) Specs by Location/Trade (Scope of Work)
- 3) Subcontractor Certifications (if applicable)
- 4) Floor Plan / Site Drawing (if applicable)

#### **Bid Walk & Bid Opening:**

Project Address:	1815 Crawford Dr.	SAFEHOME	CHARLOTTE
Bid Walk: 7/14/2020	10am		
Bid Opening: 7/21/2020	1PM		
Client Name: Fay King		Contact Number:	
Project Manager: C. Hitsman		Contact Number:	704 622 1685

#### **Bid Walk and Bidding Instructions:**

All	bid	' walk.	s are	mand	'atory
-----	-----	---------	-------	------	--------

If you are going to be late the policy is the following: Contact me BEFORE the start time if you are going to be late. If you are going to be more than 10 minutes late, we will proceed without you and you will not be permitted to bid.

The day of a bid walk the best way to reach me is at \_\_\_\_\_\_(cell # \_704 622 1685\_\_\_\_\_).

Bids must be received by the date, time and place specified. All others will be considered non responsive and disqualified.

The Bids will be opened at 600 East Trade St. immediately following the above due date and time.



### SAFE HOME

#### CITY OF CHARLOTTE

NEIGHBORHOOD & BUSINESS SERVICES

Company Acknowledgement:			
provisions of the housing impro through the City of Charlotte N inspected the site in all particulars time stated and in strict accordan and all labor and materials, and to advised respective contractual, f <i>All labor, materials, services a</i>	eighborhood & Business S s, hereby proposes and agree ce with the proposed contract o do all work required to com for the sum of money: and equipment necessary for	terms, conditions, limitations, and med at	the fany the
on the Drawings and in the Sp	ecifications:	Dollars (\$	١
Written total		טטוומוט (ק	
Specs Dated: Numb	er of Pages:		
Addenda # 1 Dated:	Number of Pages:		
Addenda # 2 Dated:	Number of Pages:		
Project Schedule: Minimum Star	t Date -		
Completion Deadline:			
Please Print and Sign:			
- Todoo / Time and orgin			
Company Name/Firm:			
Authorized Representative Name	:		
Signature:	Г	Date:	



# SAFE HOME CITY OF CHARLOTTE NEIGHBORHOOD & BUSINESS SERVICES

#### **Requirements For Bidders**

The City awards rehabilitation bids to the lowest responsive and responsible bidder. A responsible bidder for the safe home program is one who:

- 1) Is a licensed general contractor in the State of North Carolina;
- 2) Has an Renovate, Repair & Paint Certification (http://www2.epa.gov/lead/renovation-repair-and-painting-program);
- 3) Is not listed on a local, state or federal debarment list;
- 4) Carries an appropriate amounts of insurance;
- 5) Can provide references verifying the contractor has completed work of a similar scope in a good workmanship like manner or successfully completed prior work for the Safe Home program. Referenced work must have been completed in one year or less from date of this invitation to bid.

A responsive bidder must:

- 1) Submit all requested documentation on time;
- 2) Meet the above requirements for responsibility at the time of bid submittal;
- 3) Have the capacity to meet the required schedule for the project.
- 4) Existing rehab projects contracted by the contractor must be on schedule.

The City reserves the right to waive any minor informalities or irregularities, which do not go to the heart of the bid submittal or prejudice other offers, or to reject, for good and compelling reasons, any or all bid submittals.

Rehabilitation Specialist
City of Charlotte
Neighborhood and Business Services
600 E. Trade St.
Charlotte, NC 28202
PH: (704)
Fax: (704)



#### SAFE HOME

**CITY OF CHARLOTTE** 

**NEIGHBORHOOD & BUSINESS SERVICES** 

#### Instructions to Bidders

#### **Explanations to Bidders**

Any explanation desired by a Contractor regarding the meaning or interpretation of the advertisement for bids, drawings, specifications, etc., must be requested in writing to the Rehabilitation Specialist with sufficient time allowed for a reply to each Contractor before the submission of their bids. Any interpretation made will be in the form of an addendum to the invitation for bids, drawings, specifications, etc., and will be furnished to all prospective Contractors. The Contractor must acknowledge any revision to the bid documents in the space provided on the bid form and it must be submitted with their bid package.

#### **Preparation of Bids**

Bids shall be submitted on the forms furnished, or copies thereof, and must be manually signed. If erasures or other changes appear on the forms, the person signing the bids must initial each erasure or change

- The Contractor's Bid Proposal must be properly executed and submitted on the form provided. Bids by Contractors must be received by the Rehabilitation Specialist at the time and place specified on the "Invitation to Bid"
- No bid will be considered unless all individual work items on the Bid Form including any addendums are priced. The sum of all work items must equal to the Total Bid Amount.
- Unless called for, alternate bids will not be considered
- Modification of bids already submitted will be considered if received at the office designated in the invitation for bids by the time set for opening of bids

#### **Submittal of Bids**

- Sealed bids will be submitted to the Safe Home Program Office as directed in the invitation to bid prior to or at the appointed bid opening time
- Bid will be time stamped on the date of delivery
- Each bid must be submitted in a sealed envelope bearing on the outside the name of the Contractor, the name of the project for which the bid is submitted, and the date and time of the bid opening
- All bids submitted must be typed or written in ink and signed by the Contractor's designated representative



## SAFE HOME

CITY OF CHARLOTTE

NEIGHBORHOOD & BUSINESS SERVICES

- Failure to include all forms may result in rejection of a bid
- Required Bid Package Forms:
  - o Scope of Work
  - o Addenda Acknowledgement
  - o Itemized Work Sheet
  - Subcontractor Certifications (if applicable)

NEIGHBORHOOD & BUSINESS SERVICES

http://housing.charlottenc.gov | 600 E. Trade Street | Charlotte, NC

Prepared By:

City of Charlotte Housing & Neighborhood Services 600 E. Trade Street Charlotte, NC 28202 (704) 336-7600

Pro	pertv	Details
-----	-------	---------

Address:

1815 Crawford Dr

Charlotte, NC 28216

Structure Type:

Single Unit

Square Feet:

2715

Year Built:

1968

Property Value:

67300

Tax Parcel:

03914306

Census Tract:

Property Zone:

Council District 2

<u>Floor</u>

Fay King

Home: (704) 394-4824

Healthy Homes

SHFY2020

Tested- NO LEAD

Owner:

Owner Phone:

Program(s):

Room

Exterior

#### Repairs **Description**

All Contractor's Project Requirements The contractor is responsible for project requirements, including but limited to:

Obtaining all permits required. Said permits shall include all items in this scope of work.

Provide temporary toilet facilities from job start until the completion of work.

Provide AS MANY roll-off dumpsters as needed without damaging the site. Collect construction debris using dust control methods. Remove dumpster and repair any evidence of the dumpsters use. Contractor may haul debris away daily using dump trailers.

Bid Cost:		X=_		
<del></del>	Base	Quantity	Total Cost	
The second second second		and the second second second	NAME OF THE PARTY OF THE PARTY OF THE	

#### Porch Rails loose, require paint, missing bricks

Prep and paint the porch railings per the Construction Standards. re-fasten handrails, re-set loose, missing bricks here and at right-front brick-siding cap.

Bid Cost:		Х	prof.
	Base	Quantity	Total Cost

#### Prep & Paint Exterior Surfaces

Prep and paint all exterior painted surfaces. Properly dispose all loose materials. Secure or replace all loose, broken, rotted or deteriorated materials. Re-caulk all gaps at exterior. Caulk and fill all cracks, voids, holes, etc. prior to applying 25-year or better Low VOC paint. Owners choice of color. All work to be done in a neat & professional manner. Use care to protect all surfaces not intended for paint coverage.

	Bid Cost:	*****	_X		_=	
		Base		Quantity		Total Cost
/inyl Window			-,	man to our or the section of		
Replace all windows except the Living Room Picture Win Prep & paint interior / exterior side of this window.	dow will not be remov	/ed.				
Dispose of window units and any security bars. Field mea windows including half screens. Insulate rough opening. Exterior trim to be wrapped in PVC coated aluminum coil nstallation is to include repairing any damaged header, f oists and sill. Any windows replaced in a bathroom mus	Install new extension as needed. Repair a raming (to include kir	jambs, casiı ll areas distu g studs, jacl	ng and Irbed	d sill as need by removal a	ded, p and ir	orime and paint. Istallation. This
	Bid Cost:		Х		=	
		Base		Quantity		Total Cost
Seamless Aluminum Gutter & Downspouts - Install	to the contract of the contract of	Service Control of	W-2 2***	1.5 (0) 2.5		The Park Company of the Park Company C
Install K- type .027 gauge seamless aluminum gutter to s	service roof with suffic	ient pitch to	dowr	spouts. Wh	ite or	brown color choice
	or vice your war came	•				
	Bid Cost:	·	_x		=	
		Base	_x	Quantity	_=_	Total Cost
oy owner.			_X		=	
Replumb Waste Lines & Vents From foundation wall inward, only Remove all drain, waste and wet vent lines to code legal basement, will be neatly cut to remove pipe. Install sche	Bid Cost: dump. Any basemer dule 40 PVC to servi main clean out outsid	Base t ceiling tile ce one 3-pie de of house	Xremov	Quantity ved, will be r th, kitchen a	= eplac	Total Cost ed. any drywall cut undry area from the
Replumb Waste Lines & Vents From foundation wall inward, only Remove all drain, waste and wet vent lines to code legal basement, will be neatly cut to remove pipe. Install sche	Bid Cost: dump. Any basemer dule 40 PVC to servi main clean out outsid	Base t ceiling tile ce one 3-pie de of house	Xremov	Quantity ved, will be r th, kitchen a	= eplac	Total Cost ed. any drywall cut undry area from the
Replumb Waste Lines & Vents From foundation wall inward, only Remove all drain, waste and wet vent lines to code legal basement, will be neatly cut to remove pipe. Install sche	Bid Cost: dump. Any basemer dule 40 PVC to servi main clean out outsic uired to install system	Base t ceiling tile ce one 3-pie de of house	Xremov	Quantity ved, will be r th, kitchen a	= eplac	Total Cost ed. any drywall cut undry area from the
Replumb Waste Lines & Vents  From foundation wall inward, only Remove all drain, waste and wet vent lines to code legal basement, will be neatly cut to remove pipe. Install sche roof vent pipe/pipes thru the foundation wall to include a installed to code. Repair any wall or ceiling tear out requ	Bid Cost: dump. Any basemer dule 40 PVC to servi main clean out outsic uired to install system	Base t ceiling tile ce one 3-pie le of house	Xremov	Quantity ved, will be r th, kitchen a ny interior cl	= eplac	Total Cost  ed. any drywall cut  undry area from the  uts required,
Replumb Waste Lines & Vents From foundation wall inward, only Remove all drain, waste and wet vent lines to code legal basement, will be neatly cut to remove pipe. Install sche roof vent pipe/pipes thru the foundation wall to include a installed to code. Repair any wall or ceiling tear out requ  Sliding Glass Patio Door  Remove and dispose of existing door, frame and thresho screen and locking hardware. Insulate cavity. New casin any damaged header, door framing, wall framing, sub-flo	Bid Cost: dump. Any basemer dule 40 PVC to servi main clean out outsic lired to install system  Bid Cost: old. Install new Energ g and shoe molding v	Base t ceiling tile ce one 3-pie de of house a .  Base y Star rated vill match ex	removed baland as	Quantity ved, will be r th, kitchen a ny interior cla	eplac nd lai ean o	Total Cost  ed. any drywall cut undry area from the uts required,  Total Cost  siding patio door wi
Replumb Waste Lines & Vents  From foundation wall inward, only Remove all drain, waste and wet vent lines to code legal basement, will be neatly cut to remove pipe. Install sche roof vent pipe/pipes thru the foundation wall to include a installed to code. Repair any wall or ceiling tear out requ  Sliding Glass Patio Door  Remove and dispose of existing door, frame and threshold screen and locking hardware. Insulate cavity. New casin	Bid Cost: dump. Any basemer dule 40 PVC to servi main clean out outsic uired to install system  Bid Cost:  bid. Install new Energ g and shoe molding voor, floor joists, band	Base t ceiling tile ce one 3-pie de of house a Base y Star rated vill match ex joists, and si	xx	Quantity  ved, will be r th, kitchen a ny interior cla  Quantity  ung exterior . This installa	eplac nd lai ean o	Total Cost  ed. any drywall cut undry area from the uts required,  Total Cost  siding patio door wi

Demo and Rebuild Bathroom - Complete	
Completely demo the existing bathroom. Remove all plumbing and electrical fixtures, doors coverings to the framing. Repair or replace all framing as necessary to meet the requirement the Building Code.	rs and trim, and ceiling, wall, and floor ents of the Construction Specifications and
Rebuild the bathroom complete with all the following features:  *floor, wall, and ceiling insulation at locations required by the Construction Specifications  *ceiling mounted fan vented through the roof  *switched light fixture over the vanity  *GFCI outlet per Code  *4 piece fiberglass tub and surround  *drywall and finish walls and ceiling  *25yr vinyl plank flooring  *prehung six panel door and hardware  *baseboard and shoe mold at standard locations  *1.6 gpf commode - 17" high  *24" vanity with cultured marble top and single handle faucet  *3 piece bath hardware set (towel bar, paper holder, and towel ring)  *mirror over vanity  *replace supply vent  *walls and ceiling painted semi-gloss per Construction Specifications. All open-faced 1/4 repainted	round will be cut at a 45 angle & ends
All materials and construction methods shall meet the requirements of the relevant Constru	ruction Specifications and the NC Codes.
Bid Cost:	_X=
Base	Quantity Total Cost
Smoke Detector Carbon MonoxideBattery Powered	
Install a battery powered smoke detector in each bedroom and livingroom, plus two down	nstairs. Install 2 Carbon Monoxide detectors

Smoke Detector Carbon MonoxideBattery Powered				
Install a battery powered smoke detector in each bedroom at one up-stairs & one down stairs. Supply owner with a spare between the stairs are stairs.				arbon Monoxide detectors
	Bid Cost:		x	=
		Base	Quantity	Total Cost
Living Room Custom Drywall Spec	g yang di kecamatan dalam		,	
Prepare and paint the front living room window sill / apron.( v	vhite)			
	Bid Cost:		X	
		Base	Quantity	Total Cost

#### Cabinets Base

Replace base cabinets. Cabinets to be constructed of solid maple and plywood. No particle board allowed. See contractor's manual guidelines & specifications for full requirements.

Ві	id Cost:	X		
	•	Base	Quantity	Total Cost
				and the second of the second o

#### Prep & Paint Room Semi Gloss - Kitchen & Utility Rooms

Kitchen & Utility Rooms

Remove or cover hardware and accessories not to be painted. Scrape loose, peeling, cracked and blistered areas. Clean oil, grease, fungus, dirt, and dust from surfaces. Fill holes and cracks. Prime all new materials and spot prime existing with acrylic latex. Top coat with owner's choice of low VOC acrylic SEMI-GLOSS latex. Painting shall include walls and any associated trim. Include repairing wooden - luan door near stove which has a hole in it. Replace or uncover hardware, fixtures and accessories. Any moving of furniture required shall be included.

Paint ceilings white.

Install a	new c	loset	door.	match	original.	painted	gloss-white.
ıı ıstan a	I IIOVV C		uooi,	maton	Original	panitoa	groce willier

	Bid Cost:	X Base	=_ Quantity	Total Cost
many to the second of the seco	The second of the second beautiful and the second beautiful as the second beau			en agent and the second agent and the second agent and the second agent agent agent agent agent agent agent ag
Range Hood Exterior Vented - Kitchen	•			
Kitchen - Install an exterior ducted enameled range hood with inte cabinet with screws. Include metal vent and roof or wall	egral controls and ligh I cap/damper assemb	capable of 100 y, using #14 co	) cfm at 70 sones. opper Romex. Own	Attach hood to er's choice of color.
	Bid Cost:	x	=_	
		Base	Quantity	Total Cost
Light Fixture Replace - Kitchen				
Kitchen Replace or install a ceiling mounted 2 bulb or wall mour	nted 4 bulb strip, UL a	oproved, LED	light fixture with sha	ide and lamps.
	Bid Cost:	Х	( =	
		Base	Quantity	Total Cost
	duplex receptacle(s) a			<del>.</del>
GFCI Receptacle 20 AMP - Kitchen Install a flush mounted, ground fault circuit interrupted,		nd cover plate(		<del>.</del>
GFCI Receptacle 20 AMP - Kitchen Install a flush mounted, ground fault circuit interrupted, a needed.		nd cover plate(	(s). Fish wire and re  (	pair all tear out as  Total Cost
GFCI Receptacle 20 AMP - Kitchen Install a flush mounted, ground fault circuit interrupted, a needed.		nd cover plate(	s). Fish wire and re	pair all tear out as  Total Cost
GFCI Receptacle 20 AMP - Kitchen Install a flush mounted, ground fault circuit interrupted, a needed.	Bid Cost: _	nd cover plate(	s). Fish wire and re  (=  Quantity	pair all tear out as
GFCI Receptacle 20 AMP - Kitchen Install a flush mounted, ground fault circuit interrupted, aneeded.  Attic Insulation Increase to R-38 Increase attic insulation to R-38, contractor to attach ve	Bid Cost:	nd cover plate(  Base  tic access, eas	(s). Fish wire and reconstruction (see and reconstruction)  Quantity  ily seen. Include ve	pair all tear out as
GFCI Receptacle 20 AMP - Kitchen Install a flush mounted, ground fault circuit interrupted, aneeded.  Attic Insulation Increase to R-38 Increase attic insulation to R-38, contractor to attach ve code.	Bid Cost: erification to rafter at a	Base Base	(s). Fish wire and re Quantity ily seen. Include ve	pair all tear out as
GFCI Receptacle 20 AMP - Kitchen Install a flush mounted, ground fault circuit interrupted, anneeded.  Attic Insulation Increase to R-38 Increase attic insulation to R-38, contractor to attach ve code.	Bid Cost: erification to rafter at a	Base Base	(s). Fish wire and re  Quantity  ily seen. Include ve	Total Cost
GFCI Receptacle 20 AMP - Kitchen Install a flush mounted, ground fault circuit interrupted, aneeded.  Attic Insulation Increase to R-38 Increase attic insulation to R-38, contractor to attach ve code.	Bid Cost:  prification to rafter at a	Base Base	(s). Fish wire and re  Quantity  ily seen. Include ve	Total Cost  Total Cost  Total Cost
GFCI Receptacle 20 AMP - Kitchen Install a flush mounted, ground fault circuit interrupted, aneeded.  Attic Insulation Increase to R-38 Increase attic insulation to R-38, contractor to attach ve code.  Prehung Door Interior - Room at the End of the Hall	Bid Cost:  prification to rafter at a	Base  Base  existing style a	(s). Fish wire and re  Quantity  ily seen. Include ve	Total Cost  Total Cost  Total Cost

#### **Counter Tops Replace**

Screw to base cabinet a square edged plastic laminate counter top. Provide end-caps and cutout for sink. Caulk counter top to adjoining walls with low VOC caulking to match wall color. Owner's choice of in-stock color and texture.

	Bid Cost:	X		·
		Base	Quantity	Total Cost
abinets Wall	and the second second	e je e o da a dasa (		and the second s
eplace wall cabinets. Cabinets are to be constructed of son nanual guidelines & specifications for full requirements.	lid maple and ply	wood. No parti	cle board allowed.	See contractor's
	Bid Cost: _	x		
	,	Base	Quantity	Total Cost
Oouble Bowl Sink Complete				•
ated at 2.0 GPM or less, with a 15 year drip- free warranty, n all supply & drain lines. No copper compression fittings.	Bid Cost:			:
,	<u> </u>	Base	Quantity	Total Cost
loor System Repair - Kitchen & Utility Room				Total Cost
Citchen & Utility Remove all fixtures not built in. Dispose of damaged/unsafe pists hung 16" on center, plywood or tongue and groove sul	components of f	Base	Quantity  Work may include	e installation of 2"x 8"
Kitchen & Utility Remove all fixtures not built in. Dispose of damaged/unsafe oists hung 16" on center, plywood or tongue and groove sul	components of f	Base loor assembly. I studs, girders	Quantity  Work may include	e installation of 2"x 8"
Citchen & Utility Remove all fixtures not built in. Dispose of damaged/unsafe pists hung 16" on center, plywood or tongue and groove sul	components of fofloor, plates, wa	Base loor assembly. I studs, girders	Quantity  Work may includ. Include replacing	e installation of 2"x 8"
Citchen & Utility Remove all fixtures not built in. Dispose of damaged/unsafe bists hung 16" on center, plywood or tongue and groove sul bists and insulating floor to code.	components of fofloor, plates, wa	Base loor assembly. I studs, girders	Quantity  Work may includ Include replacing	e installation of 2"x 8" g all deteriorated band
Remove all fixtures not built in. Dispose of damaged/unsafe oists hung 16" on center, plywood or tongue and groove sulpists and insulating floor to code.  Resilient Flooring - Kitchen & Utility Room  Install 25 year warrantied resilient floor covering per manufacted by waterproof. Include transitions and painted or stained	components of for some states of the control of the	Base loor assembly. I studs, girders  Base tions. Flooring	Quantity  Work may include include replacing  Quantity  material is to be v	e installation of 2"x 8" g all deteriorated band  Total Cost
Floor System Repair - Kitchen & Utility Room  Kitchen & Utility  Remove all fixtures not built in. Dispose of damaged/unsafe oists hung 16" on center, plywood or tongue and groove sultoists and insulating floor to code.  Resilient Flooring - Kitchen & Utility Room  Install 25 year warrantied resilient floor covering per manufacted be waterproof. Include transitions and painted or stained All open-faced 1/4 round will be cut at a 45 and ends painter	components of for components of for components of for contract the contract of the contract of the contract of con	Base loor assembly. I studs, girders  Base tions. Flooring ound at all peri	Quantity  Work may include include replacing  Quantity  material is to be v	e installation of 2"x 8" g all deteriorated band  Total Cost

#### **Exterminate Termites**

Exterminate for termites. Drill and patch foundation and pavement where necessary. Exterminator must be licensed and provide a 1 year guarantee with an optional yearly renewable warranty for the homeowner.

	Bid Cost:	)	<=	
		Base	Quantity	Total Cost
See Attached Lead Scope - R R P Certification Require	, , , , , , , , , , , , , , , , , , , ,			
RRP Certification Required All work shall be performed in accordance with applicable rwill be obtained as appropriate. Mecklenburg County requiractivities subject to permitting under general conducts.	egulations and shares building permit	all meet all app s for Lead Haz	olicable building code ard Reduction if the	es. Building permits work involves
	Bid Cost: _		X=	
		Base	Quantity	Total Cost
Asbestos Abatement Scope See attached scope. An allowance to complete the scope of			X=	
		Base	Quantity	Total Cost
Certification				
Contractor Name:		·····	Total Cost:	
Signature:			Date:	

#### ASBESTOS SCOPE

& INSTRUCTIONS TO BIDDERS

Address

1815 Crawford Dr.

Complete the following scope of work:

Item#	Feature	Method	Number	Cost Per COST
1	INTERIOR - Kitchen & Laundry Room	Approx. 160 sq. ft. of Light-Brown Flooring ( Layer 2 ) on the Kitchen & Laundry Room floors ( connected rooms )		
	INTERIOR - White Joint Compound	Approx. 600 sq ft of white joint compound on the wallboard joints, seams and connection points on the main floor of the house		

**TOTAL** 

Contractors may submit an occupant protection plan on the form provided.

- 1 Contact Jim Roy to conduct inspections prior to repainting or other putback and Complete all interior work in a unit in a single day.
- 2 Allow for replacement of 50 board feet of rotted wood.
- 3 Unless otherwise noted any window or door removal and replacement
- 4 includes frame and trim on both sides.

  In lieu of complete removal, window frames may be enclosed with vinyl on
- 5 exterior in accordance with all project manual requirements
- 6 Contact Jim Roy to conduct inspections prior to repainting or other putback and after vinyl siding installation.

Windows being placed in a bathroom need to be tempered glass.

Total Bid

Acknowledgement of Addenda (if any):

Addendum#		
		Date
	·	

The undersigned contractor agrees to perform the scope of work for the indicated fee in accordance with applicable regulations and the project manual. The undersigned also certifies that the work will be completed within 60 days of award.

Signature of authorized contractor representative

Address:

Start date:

Completion date:

Lead Based Paint

R R P Certification Required

& INSTRUCTIONS TO BIDDERS

Address

1815 Crawford Dr.

Complete the following scope of work:

	Feature	Method	Number	Cost Per	COST
	INTERIOR - Room 2 , Kitchen - Window B1	blue vinyl mini-blind - remove and complete specialized cleaning			
2					
					TOTAL

Contractors may submit an occupant protection plan on the form provided.

- 1 Contact Jim Roy to conduct inspections prior to repainting or other putback and Complete all interior work in a unit in a single day.
- 2 Allow for replacement of 50 board feet of rotted wood.
- 3 Unless otherwise noted any window or door removal and replacement
- 4 includes frame and trim on both sides.
  In lieu of complete removal, window frames may be enclosed with vinyl on
- 5 exterior in accordance with all project manual requirements
- 6 Contact Jim Roy to conduct inspections prior to repainting or other putback and after vinyl siding installation.

Windows being placed in a bathroom need to be tempered glass.

#### Total Bid

Acknowledgement of Addenda (if any):

Addendum#	
	Date
The undersigned contractor agree	s to porform the scane of well for the tight to

The undersigned contractor agrees to perform the scope of work for the indicated fee in accordance with applicable regulations and the project manual. The undersigned also certifies that the work will be completed within 60 days of award.

Signature of authorized contractor representative

Address:


Start date:

Completion date:

# ROY CONSULTING GROUP CORPORATION Providing integrated environmental and geotechnical solutions

1815 Crawford Drive Charlotte, NC 28216

main Level



SIDE B

(1) S. basement Level ō

SIDE D

SIDEA

NOT TO SCALE

II Door = Window = Soil Sample Location

Legend